[Organization logo]

[Organization name]

Commented [16A1]: All fields in this document marked by square brackets [] must be filled in.

PROCEDURE FOR FMEA RISK ASSESSMENT

| Code: | |
|------------------|-----|
| Version: | 0.1 |
| Created by: | |
| Approved by: | |
| | |
| Date of version: | |
| Signature: | |

Commented [16A2]: If you want to find out more about control

- Article: The Role of Risk Assessment in the QMS http://advisera.com/9001academy/blog/2014/01/07/role-risk-assessment-qms/
- Article: Methodology for ISO 9001 Risk Analysis http://advisera.com/9001academy/blog/2015/09/01/methodology-for-iso-9001-risk-analysis/
- Free online course: ISO 9001 Foundations Course http://training.advisera.com/course/iso-90012015-foundations-course/

Commented [16A3]: Adapt to the existing practice in organization.

Distribution list

| Copy No. | Distributed to | Date | Signature | Returned | |
|-------------|----------------|------|-----------|----------|-----------|
| No. | Distributed to | Date | Signature | Date | Signature |
| | | | | | |
| | | | | | |
| | | | | | |

Commented [16A4]: This is only necessary if document is in paper form; otherwise, this table should be deleted.

©2017 This template may be used by clients of Advisera Expert Solutions Ltd. www.advisera.com in accordance with the License

Change history

| Date | Version | Created by | Description of change |
|------|---------|--------------|------------------------|
| | 0.1 | 16949Academy | Basic document outline |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

Table of contents

| 1. | PUR | POSE, SCOPE AND USERS3 |
|----|-------|--|
| 2. | REFE | RENCE DOCUMENTS3 |
| 3. | RISK | S ASSESSMENT |
| 3 | .1. | APPOINTING TEAM FOR RISK ASSESSMENT |
| 3 | .2. | INPUTS FOR FMEA |
| 3 | .3. | RANKING CRITERIA FOR FMEA |
| | 3.3.1 | . Severity |
| | 3.3.2 | Likelihood of the failure occurrence |
| | 3.3.3 | Detection of failures |
| 3 | .4. | CONDUCTING FMEA |
| | 3.4.1 | . Identifying process or production phases or components |
| | 3.4.2 | . Identifying potential failure modes8 |
| | 3.4.3 | . Identifying potential failure effect9 |
| | 3.4.4 | . Identifying potential cause/mechanisms of failure9 |
| | 3.4.5 | . Identifying current controls/fault detection9 |
| 3 | .5. | DETERMINING RISK PRIORITY NUMBER (RPN) |
| 3 | .6. | CORRECTIVE ACTIONS |
| 3 | .7. | REPORTING |
| 3 | .8. | REVIEW |
| 4. | MAN | IAGING RECORDS KEPT ON THE BASIS OF THIS DOCUMENT11 |
| 5. | APPI | NDICES |

1. Purpose, scope and users

The purpose of this document is to describe the process of identification, evaluation, and addressing of risks that arise from product utilization and production and design processes in [organization name] using FMEA (Failure Mode Effect Analysis).

Users of this document are top management members of [organization name] within the scope of the QMS.

2. Reference documents

- IATF 16949:2016, clause 6.1
- Quality Manual
- Procedure for Determining Context of the Organization and Identification of Interested
- Procedure for Addressing Risks and Opportunities
- [other documents and regulations that determine document control]

3. Risks assessment

The purpose of applying FMEA in the design process is to identify that the right materials are being

The purpose of applying FMEA in the production process is to identify any potential failures that

3.1. Appointing team for risk assessment

[Job title] appoints the team for risk assessment. The team has to be multidisciplinary; recommended

past problems, and similar products and processes.

It is also strongly recommended that at least one team member be qualified in the utilization of

Responsibilities of the team for risk assessment include obtaining all necessary information,

Inputs for FMEA 3.2.

Page **3** of **11**

Procedure for FMEA Risk Assessment ver. [version] from [date] Commented [16A5]: Adapt to organization's needs.

Commented [16A6]: Adapt to organization's needs.

Commented [16A7]: e.g., product recalls, field returns and repairs, complaints, scraps, rework, etc.

Commented [16A8]: Adapt here to your organization. Example: root cause analysis methods, statistics

©2017 This template may be used by clients of Advisera Expert Solutions Ltd. www.advisera.com in accordance with the License

[organization name]

- · Review specifications for the product or service to be delivered or designed. The type of
- Collect all available information that describes the subassembly to be analyzed. Systems
 descriptions.
- Compile information on earlier/similar designs from in-house/customer users such as data

suppliers; and outside experts to gather as much information as possible.

The above information should be collected and kept by [job title] as a single case history and provide

3.3. Ranking criteria for FMEA

"Failure modes" means the ways, or modes, in which a production or design process component potential or actual. "Effects analysis" refers to studying the consequences of those failures.

The purpose of the ranking criteria is to determine which of the identified failure modes has the biggest impact on the customer satisfaction and quality of the product or service being produced or

According to FMEA's scope – Product or Process, each item will be ranked using the following tables.

3.3.1. Severity

Severity is the value associated with the most serious effect for a given failure mode. Severity is a

FMEA in production processes.

| 760 | 1. South only to 1 Mills Dogs Mills |
|-----------------------------------|--|
| Severity Scale | D FMEA Severity Definition |
| 10 Hazardous - without warning | Very high severity ranking when a potential failure mode affects |
| 9 Hazardous - with warning | Very high severity ranking when a potential failure mode affects |
| 8 Very High | Vehicle or item inoperable, with loss of primary function. |

Procedure for FMEA Risk Assessment

ver. [version] from [date]

Page **4** of **11**

©2017 This template may be used by clients of Advisera Expert Solutions Ltd. www.advisera.com in accordance with the License Agreement.

Commented [16A9]: i.e., equipment types, quantities, and redundance.

Commented [16A10]: E.g., documents explaining user interface, instruction manuals for the product being designed, etc

Commented [16A11]: Adapt to your organization's needs. This is a general framework for establishing Severity, Occurrence, and Detection that is widely used worldwide. It is possible that your customer uses another system; therefore, adapt your internal procedure to that if requested.

Commented [16A12]: Adapt the ranking system to organization's needs, but the scale from 1 to 10 should be kept in order to ensure that the Appendix 4 – FMEA Risk Assessment Record is compliant with the methodology and avoid editing the Appendix 4.

[organization name]

| 7 High | "Services or "Born againsteen, "both of a rediscool book of gar-formance." Scotomer-very discool/effect. |
|--------------|--|
| 6 Moderate | Vehicle or item operable, but Comfort or Convenience item(s) inoperable. Customer is dissatisfied. |
| 5 Low | femore or form appropriate, but towerform or tower-terror operation of a reduced feed of performance. Sustainer is consented disastofied. |
| 4 Very Low | The part from an figuration over flattle flavor than our continue. Safface authorities reason flato. This of contempors. |
| 3 Minor | Fit and Finish or Squeaks and Rattle item does not conform. Defect noticed by 50% of customers. |
| 2 Very Minor | This part Thomas or Topically used Topito floor about our conflorer. Selface sollical by Topic Hope: 20% of customers. |
| 1 None | No noticeable effect. |

| Severity Scale | P FMEA severity definition when | P FMEA severity definition when |
|---|--|---|
| | failure mode results in a consumer defect | Notice made south it is substrain plant |
| 10 Hazardous – without warning | Very high severity ranking when a | Very high severity ranking when a |
| | regulation without warning. | |
| THE STATE OF T | Very high severity ranking when a regulation with warning | Very high severity ranking when a potential failure mode may endanger the operator (machinery assembly) with warning. |
| 8 Very High | Vehicle or item inoperable, with loss of primary function. | 100% of product may have to be one hour. |
| 7 High | Vehicle or item operable, but at a | TypeRtor of No. Digment of product. No. The 1995; needs to be repaired in the repair department with a repair tree between a Net Your and an Your |

Commented [16A13]: The final customer should always be considered first. If both effects occur, use the higher of the two severities.

Procedure for FMEA Risk Assessment

ver. [version] from [date]

Page **5** of **11**

| 6 Moderate | Vehicle or item operable, but | A portion of the shipment of |
|--------------|------------------------------------|--|
| o Moderate | venicle of item operable, but | A portion of the shipment of |
| | respectable. Continues in | to be accessed with an action, or |
| | - Mountain State | selficitions from reported to the |
| | | ment department with a report |
| | | time less than a half-hour. |
| 5 Low | Vehicle or item operable, but | 100% of the shipment of products |
| | Comfort or Convenience operable | THE THREE TO BE VINDOUTED. IT |
| | at a reduced heat of perfections. | effects or four taken officer for |
| | Customer to commented | made for the or mading in |
| | dissatisfied. | the repair department. |
| Filtra Link | Fit and Finish or Squeaks and | A portion of the shipment of |
| | Name have been not underto | products may have to be sorted, |
| | Select self-self by more than 1990 | with no scrap, and reworked. |
| | of customers. | |
| 1700000 | Fit and Finish or Squeaks and | Minor disruption to production |
| | Rattle item does not conform. | No. operior of the prober Sec. |
| | Defect noticed by 50% of | Name (MRTG) resp. Name to the |
| | customers. | majoritade or the fine, but not of |
| | | Author: counsels: (Ft year house) |
| | | after reconstitution of other |
| | | by average customer. |
| Later Agency | Fit and Finish or Squeaks and | Minor disruption to production |
| | factor for day of peters. | line; a portion of the product (less |
| | Select collocal by fease flow 20% | than 100%) may have to be |
| | of comments. | reworked on the line, in-station; |
| | | consists (Fr and Youth Meter |
| | | Control of the Contro |
| | | the constitute and constitute |
| 1 None | No noticeable effect. | Slight inconvenience to operation |
| | | or operator, or no effect. |

3.3.2. Likelihood of the failure occurrence

The probability that a failure will occur during the expected life of the system can be described in

similar process, the data should be used to determine the failure occurrence ranking.

| Table 3. Occurrence ranking of D FMEA and P FMEA | | |
|--|--|--|
| Occurrence scale | Self-rition of securities in Service of probabilities. | |
| No. 200. Delica o discon periodi | 10 > or = 100 / 1,000 produced parts | |
| | 9 50 /1,000 produced parts | |

Procedure for FMEA Risk Assessment

ver. [version] from [date]

Page **6** of **11**

©2017 This template may be used by clients of Advisera Expert Solutions Ltd. www.advisera.com in accordance with the License

Commented [16A14]: For example once a year, once a month, once a week, etc.

Commented [16A15]: For example, if there are records from a

| High: Repeated failure | 8 20 / 1,000 produced parts | |
|-----------------------------|----------------------------------|--|
| Trigit. Repeated failure | 7 10 / 1,000 produced parts | |
| | T STORE producer parts | |
| Moderate Transcent Money | T. S. S. Mills produced parts | |
| | E. S. S. Million produced parts. | |
| con Materials for Selection | 3 0.5 / 1,000 produced parts | |
| | 2 0.1 / 1,000 produced parts | |
| Remote: Failure is unlikely | 1 - p - 100; "(MF profice) pert | |

3.3.3. Detection of failures

Detection of failures is a ranking based on an assessment of how easy it would be to identify or

and the failures that are the hardest to detect are ranked with 10.

| | Table 4. Detection ranking for D FMEA | | |
|-----------------|---|--|--|
| Detection scale | D FMEA detection definition | | |
| S. Barrier | Tropy server all saturables accordingly content of money markets and | | |
| Charles (Marrie | otherpain Water made, or floor is to flooge System. | | |
| Total Second | Very remote chance the Design Control will detect a potential cause or mechanism | | |
| | and subsequent failure mode. | | |
| II Namedo | Nesdly flore to living factor of their systems are a necture or | | |
| | salesquere fallure resale. | | |
| 7 Very Low | <u>Very low</u> chance the Design Control will detect a potential cause or mechanism | | |
| | and subsequent failure mode. | | |
| 11.000 | Mary parties are profits interested that the contract with the properties that | | |
| | Shaper Was not | | |
| - | Moderate force for foreign control self-sensor a personal cases or mechanism | | |
| | Made and the force to home factor of their contents are of | | |
| THE | marketine and subsequent fallow made | | |
| 3 High | High chance the Design Control will detect a potential cause or mechanism and | | |
| | subsequent failure mode. | | |
| Control (Sept.) | \$65,588 Horse the Steepe Control off Misser - petential soon or mechanism | | |
| | and unbergunt fellow made | | |
| 1 Almost | Design Control will <u>almost certainly</u> detect a potential cause or mechanism and | | |
| Certain | subsequent failure mode. | | |

| | SHE'S BRADE SHEET THEY | |
|-----------------|-----------------------------|-----------------|
| Detection scale | P FMEA detection definition | Inspection type |

Procedure for FMEA Risk Assessment

ver. [version] from [date]

Page **7** of **11**

| 10 Almost | Absolute certainty of non-detection – cannot detect. | Manual |
|-----------------|--|----------------|
| Impossible | | inspection |
| Titos, Namedo | Tomas of present or test constitution | Manual |
| | path redirect or resident rhealth only. | inspection |
| 1 Second | Controls Name year Plants of Millerton - portrol to | Manual |
| | aftered with study tactile, or other trapectors only. | inspection |
| 7 Very Low | Controls have a poor chance of detection – control is | Manual |
| | achieved with double inspection only. | inspection |
| 1000 | Change and destrict thousand topology splitting | Gauging |
| | restrict, such as SPI (Restrict Process Control). | |
| 5 Moderate | Controls may detect – control is based on variable | Gauging |
| | gauging after parts have left the station, or Go/No/Go | |
| | gauging performed on 100% of parts after parts have left | |
| | the station. | |
| - North-Art. Na | Torres has agent flavor's Misc. and Mischelle. | Error proofed |
| | e obsquet gentos, Mynghy, primosi o at | and/or gauging |
| | Cantuals have a good shows to detect away detection | |
| | Controls have a good chance to detect – error detection | Error proofed |
| | to make here of sometimes week, which have | and/or gauging |
| | serfs, Carroti scrapt discrepant part. | |
| 2 Very High | Controls almost certain to detect – error detection in- | Error proofed |
| | station (automatic gauging with automatic stop feature). | and/or gauging |
| | Cannot pass discrepant part. | |
| Short artist. | Controls almost certain to detect – discrepant parts | Error proofed |
| | server by made because their has been every provided by | |
| | process (product design) | |

Commented [16A16]: Inspection performed by personnel, e.g. visual, tactile, haptic.

3.4. Conducting FMEA

3.4.1. Identifying process or production phases or components

[Job title] lists the process or production phases or components that correspond to each process step

likely to have a negative impact on the product.

3.4.2. Identifying potential failure modes

Potential failure mode is defined as the manner in which the process could potentially fail to meet

When preparing FMEA for the

Commented [16A17]: Failure mode in statistics has a certain statistical distribution, e.g., Exponential for machines.

Procedure for FMEA Risk Assessment

ver. [version] from [date]

Page **8** of **11**

[organization name]

- incoming part(s)/material(s) are correct
- •

Exceptions from the assumptions can be made by the FMEA team where historical data indicate

[Job title] identifies the potential failure modes by determining conditions when a specific

a symptom noticeable by the customer. Each requirement may have multiple failure modes. A large not well defined.

3.4.3. Identifying potential failure effect

Potential effects of failure are defined as the effects of the failure as perceived by the customer(s).

[Job title] describes the effects of the failure in terms of what the customer might notice or

to regulations in the FMEA Risk Assessment Record.

For the end user, the effects should be stated in terms of product or system performance. If the

3.4.4. Identifying potential cause/mechanisms of failure

A potential cause of failure is defined as an indication of how the failure could occur, and is described

To the extent possible, the team for risk assessment identifies and documents, detailed as concisely

more causes that can result in the failure being analyzed.

3.4.5. Identifying current controls/fault detection

The team for risk assessment needs to identify process controls already present in the process.

- Prevention: Eliminate (prevent) the cause of the failure from occurring, or reduce its rate of
 accurrence.
- •

Procedure for FMEA Risk Assessment

ver. [version] from [date]

Page **9** of **11**

©2017 This template may be used by clients of Advisera Expert Solutions Ltd. www.advisera.com in accordance with the License

Commented [16A18]: For example, by asking himself what situations can lead to nonconforming product.

Commented [16A19]: e.g., as documented in the process flow diagram

Commented [16A20]: The customer(s) in this context could be the next operation, subsequent operations or locations, the dealer, and/or the vehicle owner.

Commented [16A21]: Potential cause of failure may be an indication of a design or process weakness, the consequence of which is the failure mode.

The preferred approach is to first use prevention controls, if possible. The initial occurrence rankings

detect the failure mode. New controls are introduced according to chapter 3.6.

3.5. Determining Risk Priority Number (RPN)

The RPN is the critical indicator for determining proper corrective action on the failure modes. The

[Job title] calculates the RPN and makes prioritization of potential failures to be dealt with. The

3.6. Corrective Actions

According to RPN, the team for risk assessment proposes corrective actions. The intent of any corrective action is to reduce rankings in the following order: severity, occurrence, and detection.

1. To Reduce Severity (S) Ranking:

Only a design or process revision can bring about a reduction in the severity ranking. A

product functionality and process. For maximum effectiveness and efficiency of this approach, changes to the product and process design should be implemented early in the development process.

2.

To reduce occurrence, process and design revisions may be required. A reduction in the occurrence ranking can be affected by removing or controlling one or more of the causes of the failure through a

occurrence. Further, the knowledge gained may assist in the identification of suitable controls

3. To Reduce Failure Detection (D) Ranking:

The preferred method is the use of error/mistake proofing. A redesign of the detection methodology

may be required to increase the likelihood of detection. Generally, improving detection controls

Procedure for FMEA Risk Assessment

ver. [version] from [date]

Page **10** of **11**

Commented [16A23]: i.e., reduce the detection ranking.

Commented [16A22]: For example, process technology needs to be considered very early in the process development if severity is

to be reduced.

©2017 This template may be used by clients of Advisera Expert Solutions Ltd. www.advisera.com in accordance with the License

| | | name |
|--|--|------|
| | | |

requires the knowledge and understanding of the dominant causes of process variation and any special causes.

3.7. Reporting

All data obtained in the process of risk assessment are entered in the FMEA Risks Assessment Record

3.8. Review

After implementation of corrective actions, the team for risk assessment reviews the effects of the

4. Managing records kept on the basis of this document

| | Code | Storage | | |
|----------------------------|---------|-------------------|----------|----------------|
| Record name | | Retention time | Location | Responsibility |
| Design & Process FMEA Form | PR.06.4 | Two years | [office] | [job title] |

5. Appendices

• Appendix 4 – Design & Process FMEA Form