

ISO 45001 Documentation Toolkit

https://advisera.com/45001academy/iso-45001-documentation-toolkit/

Note: The documentation should ideally be implemented in the order in which it is listed here.

| No. | Doc. | Document name | ISO 45001 | Mandatory |
|------|------|---|------------|------------|
| 740. | code | bocament name | clause | document |
| 1 | 00 | Procedure for Document and Record Control | 7.5 | |
| 2 | 00.1 | Appendix 1 – List of Internal Documents | | |
| 3 | 00.2 | Appendix 2 – List of External Documents | 7.5.3 | ~ |
| 4 | 00.3 | Appendix 3 – Registry of Records for Detention/ Central Archive | | |
| 5 | 01 | Project Plan | | |
| 6 | 02 | OH&S Policy | 5.2 | ✓ |
| 7 | 02.1 | Appendix 1 – OH&S Objectives | 6.2.2 | ^ |
| 8 | 03 | OH&S Manual | | |
| 9 | 04 | Procedure for Determining the Context of the Organization and Interested Parties | 4.1; 4.2 | |
| 10 | 04.1 | Appendix 1 – List of Interested Parties, Legal and Other Requirements | 4.2, 6.1.3 | |
| 11 | 04.2 | Appendix 2 – Compliance Evaluation Record | 9.1.2 | \ |
| 12 | 04.3 | Appendix 3 – Scope of the OH&S Management System | 4.3 | V |
| 13 | 05 | Competence, Training and Awareness Procedure | 7.2; 7.3 | |
| 14 | 05.1 | Training Program | 7.2 | |
| 15 | 05.2 | Training Record | 7.2 | / |
| 16 | 05.3 | Record of Attendance | 7.3 | |
| 17 | 06 | Procedure for Addressing Risks and Opportunities and OH&S Hazards | 6.1 | ✓ |
| 18 | 06.1 | Appendix 1 – Registry of Key Risks and Opportunities | 6.1.1 | / |
| 19 | 06.2 | Appendix 2 – Hazard Evaluation Record | 6.1.2 | |
| 20 | 06.3 | Appendix 3 – List of Workplaces and Employees with Significant Risk | | |
| 21 | 07 | Procedure for Communication, Participation and Consultation | 5.4; 7.4 | |
| 22 | 07.1 | Appendix 1 – Record of External Communication | 7.4.1 | V |
| 23 | 07.2 | Appendix 2 – Employee Feedback Report | 7.4.2 | |
| 24 | 08 | Procedure for Operational Control | 8.1 | |
| 25 | 08.1 | Appendix 1 – SOP for Chemical Hazards | 8.1 | / * |
| 26 | 08.2 | Appendix 2 – SOP for Environmental and Physical Hazards | 8.1 | √ * |



| No. | Doc. code | Document name | ISO 45001 clause | Mandatory document |
|-----|--------------|---|---------------------|--------------------|
| 27 | 08.3 | Appendix 3 – SOP for Electrical Hazards | 8.1 | / * |
| 28 | 08.4 | Appendix 4 – SOP for Working on Height Hazards | 8.1 | / * |
| 29 | 08.5 | Appendix 5 – SOP for Display Screens and Posture Hazards (Office Hazards) | 8.1 | √ * |
| 30 | 08.6 | Appendix 6 – Equipment Calibration Record | 9.1.1. | √ ** |
| 31 | 09 | Procedure for Change Management | 8.1.3 | |
| 32 | 09.1 | Appendix 1 – Change Actions Plan and Review | 8.1.3 | |
| 33 | 10 | Procedure for Emergency Preparedness and Response | 8.2 | |
| 34 | 10.1 | Appendix 1 – Fire Safety Policy | 8.2 | / |
| 35 | 10.2 | Appendix 2 – Emergency Response Drill Record | 8.2 | |
| 36 | 11 | Procedure for Incident Investigation | 10.2 | |
| 37 | 11.1 | Appendix 1 – Incident Investigation Report | 10.2 | ✓ |
| 38 | 12 | Procedure for the Management of Nonconformities and Corrective Actions | 10.2 | |
| 39 | 12.1 | Appendix 1 – OH&S Nonconformity Record | 10.2 | V |
| 40 | 12.2 | Appendix 2 – Corrective Action Record | 10.2 | V |
| 41 | 12.3 | Appendix 3 – Registry and Status for Corrective Actions and Nonconformities | 10.2 | |
| 42 | 13 | Procedure for Internal Audit | 9.2 | |
| 43 | 13.1 | Appendix 1 – Internal Audit Checklist | | |
| 44 | 13.2 | Appendix 2 – Annual Program of Internal Audits | 9.2.2 | ✓ |
| 45 | 13.3 | Appendix 3 – Internal Audit Plan | 9.2.2 | |
| 46 | 13.4 | Appendix 4 – Internal Audit Report | 9.2.2 | - |
| 47 | 14 | Procedure for Continual Improvement | 10.1; 10.3 | |
| 48 | 14.1 | Appendix 1 – Continual Improvement Plan and Review | 10.3 | V |
| 49 | 15 | Procedure for Management Review | 9.3 | |
| 50 | 15.1 | Appendix 1 – Matrix of OH&S Performance | 9.1.1 | |
| 51 | 15.2 | Appendix 2 – Management Review Minutes | 9.3 | ✓ |

^{*} The listed documents are not mandatory if the corresponding hazards don't exist in the organization.

^{**} The document is needed only if the organization uses monitoring and measuring equipment that requires calibration.