Appendix 2 - Emergency Response Drill Record

Training date			
State of the last			
Ending time			
	*		
Short description of emergency			
	Questions	Yes	No
Has the announcement been clearly heard/seen?		Yes	No
has the announcement been clearly heard/seems			
No. of the second second	No. of Contract of		
Was electricity turned off?			
was electricity turned off:			
Were evacuation roads passable?			
Did employees arrive at the place for evacuation in acceptable time?			
No origin to do do d'a	sarrillo foro qualfo ani alffinar para?		
Did employees bring personal belongings to the place for evacuation?			
Were suffered arress of	of the teasor		
Was time of authority's arrival acceptable?			
New Yor authorized process in the organization bear coefficie about the			
scoton?			
Did employees return to work after termination of emergency in an orderly			
manner?			
THE RESIDENCE			
Son Providers for Energiess, Regional reed to be extracted			
THE THE PERSON	and the same of th		
[job title]			
[name]			
[signature]			

Commented [45A1]: E.g., Light signal, sound alarm, verbal announcement practice.

Commented [45A2]: If answer is No, need for corrective action must be reconsidered.

Commented [45A3]: The signature is needed only if the document is in paper form.

Appendix 2 – Emergency Response Drill

ver. [version] from [date]

Page 1 of 1

©2018 This template may be used by clients of Advisera Expert Solutions Ltd. www.advisera.com in accordance with the License